


Bobber Floor Lamp



DESIGNED IN 2018

ASSEMBLY NOTES | REV 01




BLAME IT ON ITS JUICE.

It's a lamp! No, it won't answer to the adorable pet name you give it or have witty replies to your inane requests (don't worry Alexa, you have job security) but it will fill your room with functional light.

NEED A HAND?

Contact us at service@bludot.com or **844.425.8368** for assistance.

Parts & Hardware




QTY 1

Floor Lamp

Step 01

ATTACH STEM TUBE TO SHADE.


Place the shade on a soft surface and thread the stem tube on as shown.



Step 02

ATTACH LAMP BASE TO STEM TUBE.

Thread the lamp base on as shown while gently pulling the slack on the cord.



Additional Information

USE

This unit is meant for indoor use in dry locations only.

CLEAN


Clean powder-coated units with a soft cloth or sponge using a mild detergent, such as dish soap, and warm water. Wipe completely dry with a soft cloth.

REGULATORY

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Caution: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Slide dimmer
switch to control
lamp brightness.