



# Bobber Flush Mount



DESIGNED IN 2020

ASSEMBLY NOTES | REV 00




NEED A HAND?

Contact us at [service@bludot.com](mailto:service@bludot.com) or  
**844.425.8368** for assistance.

@BLUDOT

We design all our pieces in our Minneapolis studio. Follow  
along on Instagram for some sneak peeks into the process.

# Parts & Hardware



QTY

2


PT. 1060



QTY

3


PT. 8021



QTY

1


Mounting Bracket



QTY

1

Ceiling Connector



QTY

1



Flush Mount

NOTE: Electricity is dangerous. It is recommended to hire a professional electrician to install your lamp.

# Step 01

## ATTACH MOUNTING BRACKET.

1. Disconnect power.
2. Attach mounting bracket to ceiling electrical box as shown using the provided hardware.




PT. 1060 x 2

# Step 02

## HARDWIRE FLUSH MOUNT.

1. Locate ceiling connector
2. Twist matching copper wires together.
  - white to white
  - black to black
  - ground wire to ground wire




PT. 8021 x 3

## Step 03

### ATTACH CONNECTORS.


Connect ceiling connector and flush mount connectors as shown, ensuring that the parts are aligned as shown.




## Step 04

### ATTACH FLUSH MOUNT TO MOUNTING BRACKET.

1. Align pre-installed screws on mounting bracket with slots on flush mount.
2. Lift flush mount upwards and rotate into place as shown.
3. Tighten pre-installed screws to secure flush mount in place.
4. Re-connect power.





## Additional Information

### USE

This unit is meant for indoor use in dry locations only.

### CLEAN

Clean powder-coated units with a soft cloth or sponge using a mild detergent, such as dish soap, and warm water. Wipe completely dry with a soft cloth.

### REGULATORY

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Caution: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

