


Daily Task Chair

DESIGNED IN 2013

ASSEMBLY NOTES | REV 00




NEED A HAND?

Contact us at service@bludot.com or
844.425.8368 for assistance.

@BLUDOT

We design all our pieces in our Minneapolis studio. Follow
along on Instagram for some sneak peeks into the process.

Parts & Hardware



QTY

4

QTY



4

QTY



1

Pt. 3002

Pt. 1074


Pt. 9018



QTY

1


QTY



1

Bracket

Base



QTY

1



Seat

Step 01

ATTACH BRACKET TO SEAT.

Attach the bracket to the seat using the hardware provided as shown.


Bracket arrow indicates chair front




Step 02

ATTACH BASE.

Press the base into the bracket as shown until it clicks into place.





Additional Information

CLEAN

Vacuum your upholstery regularly.

SPILLS

Act quickly with spills. Absorb the spill with a clean white cloth or paper towel. Never rub the surface. Do not use water or other liquids to clean, as they may stain the fabric. Consult a commercial cleaning specialist for removal of stubborn stains.

AVOID

Keep upholstery & felt furniture out of direct sunlight and away from heat sources; excessive exposure to sunlight may fade the color of the upholstery. Avoid placing heavy or sharp objects on the furniture surface for long periods of time; this can cause permanent indentations in the fabric. For snags in the fabric, tuck loose threads into fabric or carefully push to reverse side. Never pull out or cut off loose threads.