


# Filter Table Lamp



DESIGNED IN 2017

ASSEMBLY NOTES | REV 00




## SCREEN TIME.

Two perforated panels give shape to this unique dimmable tabletop light source. The opposite of humdrum, Filter engages the eye on or off.

## NEED A HAND?


Contact us at [service@bludot.com](mailto:service@bludot.com) or **844.425.8368** for assistance.

# Parts & Hardware




QTY 3

Pt. 1093




QTY 3

Pt. 3013




QTY 1

Front Screen



QTY 1

Base



QTY 1



Rear Screen

Due to regulatory requirements a light bulb (E-26 10W LED) is provided. We recommend using a R20 flood style dimmable LED (10W maximum).

## Step 01

### ATTACH REAR SCREEN.

Attach the rear screen as shown using the provided hardware.




## Step 02

### INSTALL LIGHT BULB.

Install light bulb as shown.


Note: Due to regulatory requirements a light bulb (E-26 10W LED) is provided. We recommend using a R20 flood style dimmable LED (10W maximum).




## Step 03

### ATTACH FRONT SCREEN.

Attach the front screen as shown using the provided hardware.



PT. 1093 x 1



PT. 3013 x 1

## Additional Information

### CLEAN

Unplug lamp prior to cleaning. Clean with a slightly damp, soft cloth. To remove dirt and fingerprints, use a quality cleaner formulated for painted metal surfaces. Do not use abrasive cleaners.

