

# Lock Lounge Chair



DESIGNED IN 2016

ASSEMBLY NOTES | REV 03




## NEED A HAND?

Contact us at [service@bludot.com](mailto:service@bludot.com) or **844.425.8368** for assistance.

## @BLUDOT

We design all our pieces in our Minneapolis studio. Follow along on Instagram for some sneak peeks into the process.

# Parts & Hardware



QTY

8

Pt. 1081



QTY

1

Pt. 9016



QTY

1


Lumbar pillow



QTY

1


Seat cushion



QTY

1

Base



QTY



1

Shell

# Step 01

ATTACH THE BASE.



Install base using the provided hardware.



# Step 02


INSTALL THE SEAT CUSHION.

Place chair on its side and install the seat cushion using the provided hardware.



## Step 03

PLACE LUMBAR PILLOW.



## Additional Information

### CLEAN

Vacuum your upholstery regularly. For leather furniture dust regularly with a dry cloth.

### SPILLS

Act quickly with spills. Absorb the spill with a clean white cloth or paper towel. Never rub the surface. Do not use water or other liquids to clean, as they may cause stains. Consult a commercial cleaning specialist for removal of stubborn stains.

### AVOID

Keep furniture out of direct sunlight and away from heat sources; excessive exposure to sunlight may cause color fading. Avoid placing heavy or sharp objects on the furniture surface for long periods of time; this can cause permanent surface indentations. For snags in the fabric, tuck loose threads into fabric or carefully push to reverse side. Never pull out or cut off loose threads.

